ELSEVIER

Pharmacology, Biochemistry and Behavior 73 (2002) 993–998

PHARMACOLOGY BIOCHEMISTRY AND BEHAVIOR

www.elsevier.com/locate/pharmbiochembeh

CONTENTS
VOLUME 73, 2002

CONTENTS VOLUME 73 NUMBER 1 2002

SPECIAL ISSUE: ENVIRONMENTAL MANIPULATIONS IN RODENTS AND PRIMATES: INSIGHTS INTO PHARMACOLOGY, BIOCHEMISTRY AND BEHAVIOR

Editorial 1

ARTICLES

Handling, genetic and housing effects on the mouse stress system, dopamine function, and behavior.
GARIÉPY, J.-L., R.M. RODRIGUIZ and B.C. JONES 7

Neurobehavioral development of two mouse lines commonly used in transgenic studies.
DIERSSEN, M., V. FOTAKI, M. MARTÍNEZ DE LAGRÁN, M. GRATACÓS, M. ARBONÉS, C. FILLAT and X. ESTIVILL 19

Craving for alcohol in the rat: Adjunctive behavior and the lateral hypothalamus.
WAYNER, M.J. 27

Postnatal stress of early weaning exacerbates behavioral outcome in prenatal alcohol-exposed juvenile rats.
ZIMMERBERG, B. and H.E. WESTON 45

Prenatal stress produces deficits in socio-sexual behavior of cycling, but not hormone-primed, Long–Evans rats.
FRYE, C.A. and Z.A. ORECKI 53

Mothering begets mothering: The transmission of behavior and its neurobiology across generations.
FLEMING, A.S., G.W. KRAEMER, A. GONZALEZ, V. LOVIC, S. REES and A. MELO 61

Neonatal isolation alters stress hormone and mesolimbic dopamine release in juvenile rats.
MCCORMICK, C.M., P. KEHOE, K. MALLINSON, L. CECCHI and C.A. FRYE 77

Peripheral benzodiazepine receptors reflect trait (early handling) but not state (avoidance learning).
LEHMANN, J., R. WEIZMAN, S. LESCHINER, J. FELDON and M. GAVISH 87

Corticosterone administration to rat pups, but not maternal separation, affects sexual maturation and glucocorticoid receptor immunoreactivity in the testis.
BIAGINI, G. and E.M. PICH 95

Maternal corticosterone influences behavior, stress response and corticosteroid receptors in the female rats.
CATALANI, A., P. CASOLINI, G. CIGLIANA, S. SCACCIANOCE, C. CONSOLI, C. CINQUE, A.R. ZUENA and L. ANGELUCCI 105

Repeated maternal separation does not alter sucrose-reinforced and open-field behaviors.
SHALEV, U. and N. KAFKAFI 115

Effects of maternal separation on brain nociceptin/orphanin FQ peptide levels in male Wistar rats.
PLOJ, K., E. ROMAN and I. NYLANDER 123

Long-lasting changes in stress-induced corticosterone response and anxiety-like behaviors as a consequence of neonatal maternal separation in Long–Evans rats.
KALINICHEV, M., K.W. EASTERLING, P.M. PLOTSKY and S.G. HOLTZMAN 131

0091-3057/02/$–see front matter © 2002 Elsevier Science Inc. All rights reserved.

Effect of a single maternal separation at different pup ages on the corticosterone stress response in adult and aged rats.
LEHMANN, J., H. RUSSIG, J. FELDON and C.R. PRYCE 141

Multiple feedback mechanisms activating corticotropin-releasing hormone system in the brain during stress.
MAKINO, S., K. HASHIMOTO and P.W. GOLD 147

Stress and nerve growth factor: Findings in animal models and humans.
ALOE, L., E. ALLEVA and M. FIORE 159

Environmental influences on brain neurotrophins in rats.
PHAM, T.M., B. WINBLAD, A.-C. GRANHOLM and A.H. MOHAMMED 167

Early maternal deprivation and prepulse inhibition: The role of the postdeprivation environment.
ELLENBROEK, B.A. and A.R. COOLS 177

The effects of isolation rearing on glutamate receptor NMDAR1A mRNA expression determined by in situ hybridization in Fawn hooded and Wistar rats.
HALL, F.S., S. GHAED, A. PERT and G. XING 185

Psychological stress and environmental adaptation in enriched vs. impoverished housed rats.
LARSSON, F., B. WINBLAD and A.H. MOHAMMED 193

Dissociable effects of isolation rearing and environmental enrichment on exploration, spatial learning and HPA activity in adult rats.
SCHRIJVER, N.C.A., N.I. BAHR, I.C. WEISS and H. WÜRBEL 209

Enduring effects of environmental enrichment on novelty seeking, saccharin and ethanol intake in two rat lines (RHA/Verh and RLA/Verh) differing in incentive-seeking behavior.
FERNÁNDEZ-TERUEL, A., P. DRISCOLL, L. GIL, R. AGUILAR, A. TOBEÑA and R.M. ESCORIHUELA 225

Early-life handling stimulation and environmental enrichment: Are some of their effects mediated by similar neural mechanisms?
FERNÁNDEZ-TERUEL, A., L. GIMÉNEZ-LLORT, R.M. ESCORIHUELA, L. GIL, R. AGUILAR, T. STEIMER and A. TOBEÑA 233

Social stress in tree shrews: Effects on physiology, brain function, and behavior of subordinate individuals.
FUCHS, E. and G. FLÜGGE 247

Early deprivation and behavioral and physiological responses to social separation/novelty in the marmoset.
DETTLING, A.C., J. FELDON and C.R. PRYCE 259

Effects of social manipulations and environmental enrichment on behavior and cell-mediated immune responses in rhesus macaques.
SCHAPIRO, S.J. 271

Environmental enrichment for the captive spectacled bear (*Tremarctos ornatus*).
RENNER, M.J. and J.P. LUSSIER 279

CONTENTS VOLUME 73 NUMBER 2 2002

SPECIAL ISSUE: METABOTROPIC GLUTAMATE RECEPTORS

Editorial 285

ARTICLES

Neuronal and glial mGluR5 modulation prevents stretch-induced enhancement of NMDA receptor current.
LEA, P.M., S.J. CUSTER, S. VICINI and A.I. FADEN 287

NMDA-induced phosphorylation and regulation of mGluR5.
ALAGARSAMY, S., S.T. ROUSE, C. JUNGE, G.W. HUBERT, D. GUTMAN, Y. SMITH and P.J. CONN 299

Metabotropic glutamate receptors control gating of spike transmission in the hippocampus area CA1.
HÖLSCHER, C. 307

Modulation of DOI-induced increases in cortical BDNF expression by group II mGlu receptors.
GEWIRTZ, J.C., A.C. CHEN, R. TERWILLIGER, R.C. DUMAN and G.J. MAREK 317

Group II mGlu receptor agonists inhibit behavioural and electrophysiological effects of DOI in mice.
KŁODZINSKA, A., M. BIJAK, K. TOKARSKI and A. PILC 327

The mGlu2/3 receptor agonist LY379268 blocks the expression of locomotor sensitization by amphetamine.
KIM, J.-H. and P. VEZINA 333

Effects of the mGlu2/3 receptor agonist LY379268 on motor activity in phencyclidine-sensitized rats.
CLARK, M., B.G. JOHNSON, R.A. WRIGHT, J.A. MONN and D.D. SCHOEPP 339

D1 and D2 dopamine receptors contribute to the locomotor response induced by Group II mGluRs activation in the rat nucleus accumbens.
BREYSSE, N., C. RISTERUCCI and M. AMALRIC 347

Anxiolytic-like activity of the mGluR5 antagonist MPEP: A comparison with diazepam and buspirone.
BRODKIN, J., C. BUSSE, S.J. SUKOFF and M.A. VARNEY 359

The anxiolytic action of mGlu2/3 receptor agonist, LY354740, in the fear-potentiated startle model in rats is mechanistically distinct from diazepam.
TIZZANO, J.P., K.I. GRIFFEY and D.D. SCHOEPP 367

Inhibition of mGluR5 blocks hippocampal LTP in vivo and spatial learning in rats.
BALSCHUN, D. and W. WETZEL 375

Differential effects of mGluR1 and mGlur5 antagonism on spatial learning in rats.
PETERSEN, S., C. BOMME, C. BAASTRUP, A. KEMP and G.R.J. CHRISTOFFERSEN 381

Impairment on contextual fear conditioning in rats by Group I mGluRs: Reversal by the nootropic nefiracetam.
RIEDEL, G., K. SANDAGER-NIELSEN and E.M. MACPHAIL 391

Antisense oligonucleotide knockdown of $mGluR_1$ alleviates hyperalgesia and allodynia associated with chronic inflammation.
FUNDYTUS, M.E., M.G. OSBORNE, J.L. HENRY, T.J. CODERRE and A. DRAY 401

Antinociceptive effects following intrathecal pretreatment with selective metabotropic glutamate receptor compounds in a rat model of neuropathic pain.
FISHER, K., C. LEFEBVRE and T.J. CODERRE 411

Group II mGluR receptor agonists are effective in persistent and neuropathic pain models in rats.
SIMMONS, R.M.A., A.A. WEBSTER, A.B. KALRA and S. IYENGAR 419

Activation of brainstem metabotropic glutamate receptors inhibits spinal nociception in adult rats.
KIM, S.J., A.A. CALEJESAN and M. ZHUO 429

Activation of mGlu1 but not mGlu5 metabotropic glutamate receptors contributes to postischemic neuronal injury in vitro and in vivo.
MELI, E., R. PICCA, S. ATTUCCI, A. COZZI, F. PERUGINELLI, F. MORONI and D.E. PELLEGRINI-GIAMPIETRO 439

Spinal cord mGlu1 a receptors: Possible target for amyotrophic lateral sclerosis therapy.
VALERIO, A., M. FERRARIO, M. PATERLINI, P. LIBERINI, G. MORETTO, N.J. CAIRNS, M. PIZZI and P. SPANO 447

Evaluation of the mGluR2/3 agonist LY379268 in rodent models of Parkinson's disease.
MURRAY, T.K., M.J. MESSENGER, M.A. WARD, S. WOODHOUSE, D.J. OSBORNE, S. DUTY and M.J. O'NEILL 455

The selective group mGlu2/3 receptor agonist LY379268 suppresses REM sleep and fast EEG in the rat.
FEINBERG, I., I.G. CAMPBELL, D.D. SCHOEPP and K. ANDERSON 467

Metabotropic and NMDA glutamate receptor interactions with osmotic stimuli in supraoptic neurons.
MEEKER, R.B. 475

CONTENTS VOLUME 73 NUMBER 3 2002

ARTICLES

Sex-related glucose effects on responsiveness to brightness change in middle-aged rats.
HUGHES, R.N. 485

Chronic drug use and cognitive impairments.
BLOCK, R.I., W.J. ERWIN and M.M. GHONEIM 491

Effects of σ_1 receptor ligand MS-377 on D_2 antagonists-induced behaviors.
KARASAWA, J.-I., S. TAKAHASHI, K. TAKAGI and K. HORIKOMI 505

Combination of a novel antidementia drug FK960 with donepezil synergistically improves memory deficits in rats.
TOKITA, K., S. YAMAZAKI, M. YAMAZAKI, N. MATSUOKA and S. MUTOH 511

Observer-blinded comparison of two nonopioid analgesics for postoperative pain in piglets.
REYES, L., K.D. TINWORTH, K.M. LI, D.F. YAU and K.A. WATERS 521

Effect of nociceptin/orphanin FQ on food intake in rats that differ in diet preference.
OLSZEWSKI, P.K., M.K. GRACE, J.B. SANDERS, C.J. BILLINGTON and A.S. LEVINE 529

Behavioral responses to stress following central and peripheral injection of the 5-HT_2 agonist DOI.
HAWKINS, M.F., S.M. UZELAC, A.A. BAUMEISTER, J.K. HEARN, J.I. BROUSSARD and T.S. GUILLOT 537

mCPP-induced hypophagia in rats is unaffected by the profile of dietary unsaturated fatty acids.
RICE, H.B. and R.L. CORWIN 545

Investigation of a possible sensitization development to a challenge dose of ethanol after 2 weeks following the single injection in mice.
KAYIR, H. and I.T. UZBAY 551

Effect of chronic treatment with milnacipran on sleep architecture in rats compared with paroxetine and imipramine.
GERVASONI, D., E. PANCONI, V. HENNINOT, R. BOISSARD, B. BARBAGLI, P. FORT and P.H. LUPPI 557

Intracerebroventricular administration of colchicine produces cognitive impairment associated with oxidative stress in rats.
KUMAR, M.H.V. and Y.K. GUPTA 565

Comparison of the ability of adenosine kinase inhibitors and adenosine receptor agonists to attenuate thermal hyperalgesia and reduce motor performance in rats.
JARVIS, M.F., J. MIKUSA, K.L. CHU, C.T. WISMER, P. HONORE, E.A. KOWALUK and S. McGARAUGHTY 573

Pharmacologic thresholds for self-injurious behavior in a genetic mouse model of Lesch–Nyhan disease.
KASIM, S. and H.A. JINNAH 583

Dose–response relationships of intranasal cholecystokinin and the P300 event-related brain potential.
DENECKE, H., N. CZEHAK and R. PIETROWSKY 593

Hyperalgesic response in rats fed sucrose from weaning to adulthood: Role of VMH.
MUKHERJEE, K., R. MATHUR and U. NAYAR 601

Effects of opioid antagonists on unconditioned and conditioned hyperactivity to morphine.
RAUHUT, A.S., B.J. GEHRKE, S.B. PHILLIPS and M.T. BARDO 611

Ascorbic acid prevents cognitive deficits caused by chronic administration of propionic acid to rats in the water maze.
PETTENUZZO, L.F., P.F. SCHUCK, F. FONTELLA, C.M.D. WANNMACHER, A.T. WYSE, C.S. DUTRA-FILHO, C.A. NETTO and M. WAJNER 623

Triggers of paroxysmal dyskinesia in the calcium channel mouse mutant tottering.
FUREMAN, B.E., H.A. JINNAH and E.J. HESS 631

Sympathetic activation by fenfluramine depletes brown adipose tissue norepinephrine content in rats.
SUBRAMANIAN, S. and R.R. VOLLMER 639

Attenuation of iminodipropionitrile induced behavioral syndrome by sodium salicylate in rats.
TARIQ, M., H.A. KHAN, K.A. MOUTAERY and S.A. DEEB 647

Conditioned place preference after single doses or "binge" cocaine in C57BL/6J and 129/J mice.
ZHANG, Y., J.R. MANTSCH, S.D. SCHLUSSMAN, A. HO and M.J. KREEK 655

Wheel-running attenuates intravenous cocaine self-administration in rats: Sex differences.
COSGROVE, K.P., R.G. HUNTER and M.E. CARROLL 663

Differential effects of ethanol on motor coordination in adolescent and adult rats.
WHITE, A.M., M.C. TRUESDALE, J.G. BAE, S. AHMAD, W.A. WILSON, P.J. BEST and H.S. SWARTZWELDER 673

Object preference and nicotine consumption in rats with high vs. low rearing activity in a novel open field.
PAWLAK, C.R. and R.K.W. SCHWARTING 679

Effects of nefazodone on voluntary ethanol consumption induced by isolation stress in young and aged rats.
NÚÑEZ, M.J., M. RIVAS, P. RIVEIRO, J. SUÁREZ, J. BALBOA, L.A. NÚÑEZ, M. REY-MÉNDEZ and M. FREIRE-GARABAL 689

Rotational behaviour in AA and ANA rats after repeated administration of morphine and cocaine.
MIKKOLA, J.A.V., S. JANHUNEN, P. HYYTIÄ, K. KIIANMAA and L. AHTEE 697

Fluoxetine-induced increases in open-field habituation in the olfactory bulbectomized rat depend on test aversiveness but not on anxiety.
MAR, A., E. SPREEKMEESTER and J. ROCHFORD 703

Serotonin modulates offensive attack in adolescent anabolic steroid-treated hamsters.
GRIMES, J.M. and R.H. MELLONI JR. 713

Improvement of learning processes following chronic systemic administration of modafinil in mice.
BÉRACOCHÉA, D., A. CELERIER, N. BORDE, M. VALLEAU, M. PERES and C. PIERARD 723

ARTICLES

Differential subjective effects of D-amphetamine by gender, hormone levels and menstrual cycle phase.
WHITE, T. L., A.J.H. JUSTICE and H. DE WIT 729

Vaginal lavage attenuates cocaine-stimulated activity and establishes place preference in rats.
WALKER, Q.D., C.J. NELSON, D. SMITH and C.M. KUHN 743

Reevaluation of PNU-99194A discriminative stimulus effects: Potentiation by both a D_2 antagonist and a D_3/D_2 agonist.
BAKER, L.E. and A.J. PRUS 753

Prenatal protein malnutrition enhances stimulus control by CDP, but not a CDP/THIP combination in rats.
SHULTZ, P.L., J.R. GALLER and J. TONKISS 759

Effects of cocaine and putative atypical antipsychotics on rat social behavior: An ethopharmacological study.
RADEMACHER, D.J., A.L. SCHUYLER, C.K. KRUSCHEL and R.E. STEINPREIS 769

Sigma sites mediate DTG-evoked hypothermia in rats.
RAWLS, S.M., D.A. BARON, E.B. GELLER and M.W. ADLER 779

Asymmetric serial interactions between ethanol and cocaine in taste aversion learning.
GRAKALIC, I. and A.L. RILEY 787

Effects of *N*-acetylcysteine on macrophage and lymphocyte functions in a mouse model of premature ageing.
PUERTO, M., N. GUAYERBAS, V.M. VÍCTOR and M. DE LA FUENTE 797

Effects of melatonin injection on running-wheel activity and body temperature differ by the time of day.
ISOBE, Y., T. TORRI, E. KONISHI and J. FUJIOI 805

Iron deficiency in rats decreases acquisition of and suppresses responding for cocaine.
JONES, B.C., D.S. WHEELER, J.L. BEARD and P.S. GRIGSON 813

Genetic variation in morphine analgesic tolerance: A survey of 11 inbred mouse strains.
KEST, B., E. HOPKINS, C.A. PALMESE, M. ADLER and J.S. MOGIL 821

Effects of anticholinergics on serial-probe recognition accuracy of rhesus macaques *(Macaca mulatta)*.
MYERS, T.M., G. GALBICKA, M.L. SIPOS, S. VARADI, J.L. OUBRE and M.G. CLARK 829

Behavioral sensitization to amphetamine follows chronic administration of the CB_1 agonist WIN 55,212-2 in Lewis rats.
MUSCHAMP, J.W. and S.M. SIVIY 835

Behavioral effects of aminochrome and dopachrome injected in the rat substantia nigra.
DÍAZ-VÉLIZ, G., S. MORA, M.T. DOSSI, P. GÓMEZ, C. ARRIAGADA, J. MONTIEL, F. ABOITIZ and J. SEGURA-AGUILAR 843

Effects of pentylenetetrazol-induced kindling of seizures on rat emotional behavior and brain monoaminergic systems.
SZYNDLER, J., P. ROK, P. MACIEJAK, J. WALKOWIAK, A.I. CZŁONKOWSKA, H. SIENKIEWICZ-JAROSZ, A. WISŁOWSKA, M. ZIENOWICZ, M. LEHNER, A. BIDZIŃSKI, W. KOSTOWSKI and A. PLAZNIK 851

Age-related changes in the antinociception induced by taurine in mice.
SERRANO, M.I., C. GOICOECHEA, J.S. SERRANO, M.C. SERRANO-MARTINO, E. SÁNCHEZ and M.I. MARTÍN 863

Dopamine antagonists during parturition disrupt maternal care and the retention of maternal behavior in rats.
BYRNES, E.M., B.A. RIGERO and R.S. BRIDGES 869

Tolerance and sensitization to the locomotor-activating effects of cocaine are mediated via independent mechanisms.
IZENWASSER, S. and D. FRENCH 877

Pharmacokinetic differences of morphine and morphine-glucuronides are reflected in locomotor activity.
HANDAL, M., M. GRUNG, S. SKURTVEIT, Å. RIPEL, J. MØRLAND 883

A comparative study in rodents of standardized extracts of *Bacopa monniera* and *Ginkgo biloba*: Anticholinesterase and cognitive enhancing activities.
DAS, A., G. SHANKER, C. NATH, R. PAL, S. SINGH and H.K. SINGH 893

Nicotinamide therapy protects against both necrosis and apoptosis in a stroke model.
YANG, J., L.K. KLAIDMAN, M.L. CHANG, S. KEM, T. SUGAWARA, P. CHAN and J.D. ADAMS JR. 901

Interactions between the CB1 receptor agonist Δ^9-THC and the CB1 receptor antagonist SR-141716 in rats: Open-field revisited.
JÄRBE, T.U.C., M.E. ANDRZEJEWSKI and N.V. DiPATRIZIO 911

Neonatal toluene exposure selectively alters sensitivity to different chemoconvulsant drugs in juvenile rats.
CHEN, H.-H. and Y.-F. LEE 921

Prepulse inhibition in rats with temporary inhibition/inactivation of ventral or dorsal hippocampus.
ZHANG, W.-N., T. BAST and J. FELDON 929

Effect of imipramine on the expression and acquisition of morphine-induced conditioned place preference in mice.
ZARRINDAST, M.-R., T. BAHREINI and M. ADL 941

Hormone-like behavioral effects of levonorgestrel and its metabolites in the male rat.
MORALÍ, G., A.E. LEMUS, R. MUNGUÍA, G.A. GARCÍA, I. GRILLASCA and G. PÉREZ-PALACIOS 951

Anxiolytic effects of ethanol and phenobarbital are abolished in test-experienced rats submitted to the elevated plus maze.
BERTOGLIO, L.J. and A.P. CAROBREZ 963

Stress-induced subsensitivity to modafinil and its prevention by corticosteroids.
STONE, E.A., Y. LIN, R.F. SUCKOW and D. QUARTERMAIN 971

The effect of serotonin and serotonin receptor antagonists on motion sickness in *Suncus murinus*.
JAVID, F.A. and R.J. NAYLOR 979

Contents of Volume 73 993

Author Index 999

Keyword Index 1003